

GLASS SHOWER DOOR

AQUA SHOWER

FRAMELESS SWING SHOWER DOOR HARDWARE



City of Industry, CA 91789

+1 (323) 451-2688

info@epcocorp.com


www.epcocorp.com

© Copyright 2000-2023 EPCO Architectural Hardware (USA) Inc. — All rights reserved. Usage strictly limited to contract conditions.
For more information please contact us through email : info@epcocorp.com



EPCO USA
ARCHITECTURAL
HARDWARE
SOLUTIONS

"Water" is always our concern;
While designing and renovating stage



Machinery/Equipment for
R & D Division

CAD/CAM
Profile Projector
Microscope





AutoCad
Pro E

Modern & Sophisticated Facility

Guarantee "EPCO" shower door hinges precise-quality every time!

CNC milling centers
CNC Tapping centers
Robot Polishing Equipment



▲ Precise tolerance

▲ Unparalleled quality

▲ No sag ▲ No wear

▲ Mechanically guaranteed 10 years



SOLID BRASS HINGES SYSTEM

FOR SHOWER CABINS AND FRAMELESS DOORS

The EPCO-Glass Hinges system manufactured from the fine forged brass and our CNC machining technology at EPCO assures high quality and precision products.


Technical data:

The screws are always on the inside.

Strong spring designed to guarantee the door will return their position easily and firmly.

The door will be self-closing when reaching at 25 angle.

The glass panel should be tempered.



The EPCO-GLASS Hinges are supplied as a pc, one pc parts packed as one box.

Ordering details


When ordering, please add the following suffix defining the surface execution, respectively color to the normal article number:

Finish

CR -Bright chrome	SC -Satin chrome
BSC -Brushed satim chrome	PBC -Polished black chrome
BP -Polished brass,lacqured	SB -Brushed brass,lacqured
PN -Polished nickel	BN -Brushed nickel
PBN -Polished black nickel	TI -TItanium plated
AB -Antique bronze	DB -Dark bronze
OB -Oil rubbed bronze	
WH -White power coating	
ZR -PVD coating similar to brass finish(life warranty)	

8100 SERIES


SOLID BRASS HINGES FOR 5/16" (8mm) &
3/8" (10mm) FRAMELESS SHOWER DOORS




TECHNICAL DETAILS

- * MATERIAL: FORGED BRASS.
- * SELF-CLOSING FUNCTION WHEN DOOR STAYS APPROX 25°.
- * FOR 5/16" (8mm) OR 3/8" (10mm) GLASS THICKNESS UNLESS OTHERWISE SPECIFIED, HINGES FOR 5/16" (8mm) GLASS WILL BE SUPPLIED


- * 2 HINGES USED.
MAXIMUM DOOR WIDTH: 35-3/8" (900mm).
MAXIMUM DOOR WEIGHT: 88lbs (40kg).




ART NO. 8101
Hinge for wall fixing, plate
to be tightened inside only




FRONT VIEW




TOP VIEW




ART NO. 8102
Hinge for wall fastening plate
to be tightened on both side




FRONT VIEW




TOP VIEW




ART NO. 8103
Hinge for glass to
glass 180°, flush.




FRONT VIEW




TOP VIEW



ART NO. 8105
Hinge for glass to glass 135°
(five cornered shower cabins)



FRONT VIEW




TOP VIEW

8500 SERIES

*SOLID BRASS HINGES FOR 3/8" (10mm) &
1/2" (12mm) FRAMELESS SHOWER DOORS*

Durable construction combined with large mounting surface to provide maximum clamp strength with an attractive radius bevelled edges



for 10mm (3/8") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-32"(812mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-36"(914mm)



for 12mm (1/2") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-28"(711mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-32"(812mm)

Technical Details


- Forged Brass * self-closing function * reversible pin 0° and 5°
- Water-Tight design
- Patented device assuring glass panel to be stable at 0° degree.
- Extra device for scratch-free on axle (available upon request)




ART NO. 8501

8502


Hinge for wall fixing, plate to be tightened on single/both side.



FRONT VIEW (8501)




TOP VIEW (8501,8502)




ART NO. 8503


Hinge for glass to glass 180°, flush



FRONT VIEW




TOP VIEW




ART NO. 8504


Hinge for glass to glass 90°



FRONT VIEW




TOP VIEW




ART NO. 8505

Hinge for glass to glass, 135°
(five cornered shower cabins)



FRONT VIEW




TOP VIEW

8600 SERIES

*SOLID BRASS HINGES FOR 3/8" (10mm) &
1/2" (12mm) FRAMELESS SHOWER DOORS*

Durable construction combined with large mounting surface to provide maximum clamp strength with a streamlined and elegant shape



for 10mm (3/8") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-32" (812mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-36" (914mm)


for 12mm (1/2") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-28" (711mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-32" (812mm)


Technical Details

- Forged Brass * self - closing function * reversible pin 0° and 5°
- Water-Tight design
- Patented device assuring glass panel to be stable at 0° degree.
- Extra device for scratch-free on axle (available upon request)




ART NO. 8601


Hinge for wall fixing, plate to be tightened on single/both side.



FRONT VIEW (8601)




TOP VIEW (8601,8602)




ART NO. 8603


Hinge for glass to glass 180°, flush



FRONT VIEW




TOP VIEW




ART NO. 8604


Hinge for glass to glass 90°



FRONT VIEW




TOP VIEW




ART NO. 8605

Hinge for glass to glass, 135° (five cornered shower cabins)



FRONT VIEW




TOP VIEW

B8200 SERIES

*SOLID BRASS HINGES FOR 3/8" (10mm) &
1/2" (12mm) FRAMELESS SHOWER DOORS*

Durable construction combined with patented device
assuring door panel to be stable at 0°



for 10mm (3/8") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-32"(812mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-36"(914mm)


for 12mm (1/2") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-28"(711mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-32"(812mm)


Technical Details

- Forged Brass * self - closing function * reversible pin 0° and 5°
- Water-Tight design
- Patented device assuring glass panel to be stable at 0°
- Extra device for scratch-free on axle (available upon request)




ART NO. B8201 B8201-1 • B8202


Hinge for wall fixing, plate to be tightened on single/both side.



FRONT VIEW (B8201)




TOP VIEW (B8201,B8202)




ART NO. B8203


Hinge for glass to glass 180°, flush



FRONT VIEW




TOP VIEW




ART NO. B8204


Hinge for glass to glass, 90°



FRONT VIEW




TOP VIEW




ART NO. B8205

Hinge for glass to glass, 135°
(five cornered shower cabins)



FRONT VIEW





TOP VIEW

8200 SERIES

*SOLID BRASS HINGES FOR 3/8" (10mm) &
1/2"(12mm) FRAMELESS SHOWER DOORS*

Traditional design but with EPCO durable construction and
patented device assuring door panel to be stable at 0°



for 10mm (3/8") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-32"(812mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-36"(914mm)


for 12mm (1/2") glass

2 HINGES USED: DOOR MAX WEIGHT-100bs, MAX WIDTH-28"(711mm)

3 HINGES USED: DOOR MAX WEIGHT-150bs, MAX WIDTH-32"(812mm)


Technical Details

- Forged Brass * self - closing function * reversible pin 0° and 5°
- Water-Tight design
- Patented device assuring door panel to be stable at 0°
- Extra device for scratch-free on axle (available upon request)




ART NO. 8201 8201-1 8202


Hinge for wall fixing, plate to be tightened on single/both side.



FRONT VIEW (8201)




TOP VIEW (8201,8202)




ART NO. 8203


Hinge for glass to glass 180°, flush



FRONT VIEW




TOP VIEW




ART NO. 8204


Hinge for glass to glass, 90°



FRONT VIEW




TOP VIEW




ART NO. 8205

Hinge for glass to glass, 135°
(five cornered shower cabins)



FRONT VIEW




TOP VIEW

R8200 SERIES

*SOLID BRASS HINGES FOR 3/8" (10mm) &
1/2" (12mm) FRAMELESS SHOWER DOORS*

Durable construction combined with patented device
assuring door panel to be stable at 0°



for 10mm (3/8") glass

2 HINGES USED: DOOR MAX WEIGHT-100lbs, MAX WIDTH-32"(812mm)

3 HINGES USED: DOOR MAX WEIGHT-150lbs, MAX WIDTH-36"(914mm)

for 12mm (1/2") glass

2 HINGES USED: DOOR MAX WEIGHT-100lbs, MAX WIDTH-28"(711mm)



3 HINGES USED: DOOR MAX WEIGHT-150lbs, MAX WIDTH-32"(812mm)

Technical Details

- Forged Brass * self - closing function * reversible pin 0° and 5°
- Water-Tight desing
- Patented device assuring glass panel to be closed 0°
- Extra device for scratch-free on axle (available upon request)




SHOWER DOOR HINGES SYSTEM




ART NO. R8201

Hinge for wall fixing, plate to be tightened on single/both side.


R8202



FRONT VIEW (R8201)




TOP VIEW (R8201, R8202)




ART NO. R 8203


Hinge for glass to glass 180° , flush



FRONT VIEW




TOP VIEW




ART NO. R 8204


Hinge for glass to glass, 90°



FRONT VIEW




TOP VIEW




ART NO. R 8205

Hinge for glass to glass, 135°
(five cornered shower cabins)



FRONT VIEW



TOP VIEW

JB8100 SERIES



SOLID BRASS HINGES FOR 5/16" (8mm) &
1/4" (6mm) FRAMELESS SHOWER DOORS



TECHNICAL DETAILS

- * MATERIAL: FORGED BRASS.
- * SELF-CLOSING FUNCTION WHEN DOOR STAYS APPROX 25°.
- * FOR 1/4" (6mm) - 5/16" (8mm) GLASS THICKNESS.
- * REVERSIBLE PIVOT PIN 0° AND 5°


- * For 1/4" (6mm) glass
2 HINGES USED: DOOR MAX WEIGHT-61lbs, MAX WIDTH-28"
3 HINGES USED: DOOR MAX WEIGHT-92lbs, MAX WIDTH-32"
- * For 5/16" (8mm) glass
2 HINGES USED: DOOR MAX WEIGHT-61lbs, MAX WIDTH-28"
3 HINGES USED: DOOR MAX WEIGHT-92lbs, MAX WIDTH-32"




ART NO. JB8201

Hinge for wall fixing, plate to be tightened on single/both side.


JB8201-1



FRONT VIEW (JB8201)




TOP VIEW (JB8201)




ART NO. JB8203


Hinge for glass to glass 180°, flush



FRONT VIEW




TOP VIEW




ART NO. JB8204


Hinge for glass to glass, 90°



FRONT VIEW




TOP VIEW




ART NO. JB8205

Hinge for glass to glass, 135° (five cornered shower cabins)




FRONT VIEW





TOP VIEW





Translucent Sealing Strips for Shower Screens





Art No. 8021
Centre seal 180°
Transparent with soft lip
For 5/16" or 3/8" or 1/2" glass





Art No. 8022
Centre seal 90°
Transparent with soft lip
For 5/16" or 3/8" or 1/2" glass





Art No. 8023
Centre seal 135°
For pentangular showers
For 5/16" or 3/8" or 1/2" glass




Art No. 8024
Edge seal
Transparent with soft lip
For 5/16" or 3/8" or 1/2" glass



Art No. 8025
Centre seal
Transparent with soft lip
For sealing between fixed panel
and glass door 180°
For 5/16" or 3/8" or 1/2" glass




Art No. 8025L
Centre seal
Transparent with soft lip
For sealing double action door and wall
For 5/16" or 3/8" glass









Translucent Sealing Strips for Shower Screens





Art No. 8026A
Height compensation profile
Transparent
For 3/8" or 1/2" glass





Art No. 8026B
Wipe seal with soft lip
with 8026A suitable for
smoke and weather sealing





Art No. 8027
Bottom seal
Transparent with soft lip
For 5/16" or 3/8" glass





Art No. 8028
Water disperser
Transparent with soft lip
For 5/16" or 3/8" glass




Art No. 8038
Angle seal
Transparent with soft lip
For 1/4" or 5/16" or 3/8" or 1/2" glass



Art No. 8036
Sealing profile
Transparent



Art No. 8037
Water disperser
Transparent
For 5/16" or 3/8" glass






Pull Handles

for applications from 1/4"(6 mm)~1/2" (12mm)
glass shower doors

Back-To-Back Pull Handles Available Size: 6", 8"



Specification:
Material: 3/4"(19mm) Brass tubing, 1-1/4"(31.75mm) Metal washer
C-To-C Hole Spacing: 6" (152 mm)
C-To-C Hole Spacing: 8" (203 mm)

Order Code Nbr:

SH-66-3/4-XX

— With metal washer
— Size
— Diameter
— Finish

SH1-66-3/4-XX

— Without metal washer
— Size
— Diameter
— Finish

Remark: Solid Pull Handles are available upon request.

Single-Sided Pull Handles Available Size: 6", 8"



Specification:
Material: 3/4"(19mm) Brass tubing, 1-1/4"(31.75mm) Metal washer
C-To-C Hole Spacing: 6" (152 mm)
C-To-C Hole Spacing: 8" (203 mm)

Order Code Nbr:

SH-6-3/4-XX

— With metal washer
— Size
— Diameter
— Finish

SH1-6-3/4-XX


— Without metal washer
— Size
— Diameter
— Finish

Remark: Solid Pull Handles are available upon request.



Pull Handles

for applications from 1/4" (6 mm)~1/2" (12mm)
glass shower doors



Circular Back-To-Back Pull Handles

Available Size: 5-1/2" (140 mm)

Specification:

Material: 3/4" (19mm) Brass tubing, 1-1/4" (31.75mm) Metal washer

C-To-C Hole Spacing: 5-1/2" (140mm)


Order Code Nbr:

SH-5.55.5-3/4-XX

With metal washer
Size
Diameter
Finish

SH1-5.55.5-3/4-XX

Without metal washer
Size
Diameter
Finish



Back-To-Back Towel Bars

Available Sizes: 12", 18", 24", 30"

Specification:

Material: 3/4" (19mm) Brass tubing, 1-1/4" (31.75mm) Metal washer

C-To-C Hole Spacing: 12" (305 mm)

C-To-C Hole Spacing: 18" (457 mm)

C-To-C Hole Spacing: 24" (610 mm)

C-To-C Hole Spacing: 30" (762 mm)

Order Code Nbr:

SH-1212-3/4-XX

With metal washer
Size
Diameter
Finish

SH1-1212-3/4-XX

Without metal washer
Size
Diameter
Finish



Towel Bar/Handle Combination Sets

for applications from 1/4"(6 mm)~1/2" (12mm)
glass shower doors



Available Size: 6" Handle with 18" Towel Bar
6" Handle with 24" Towel Bar
8" Handle with 18" Towel Bar
8" Handle with 24" Towel Bar

Specification:

Material: 3/4"(19mm) Brass tubing, 1-1/4"(31.75mm) Metal washer

Hole Spacing: 6" Handle (152mm)/18" Towel Bar (457 mm)

6" Handle (152mm)/24" Towel Bar (610 mm)

8" Handle (203mm)/18" Towel Bar (457 mm)

8" Handle (203mm)/24" Towel Bar (610 mm)

Order Code Nbr:

SH-618-3/4-XX

With metal washer

Size

Diameter

Finish

SH1-618-3/4-XX

Without metal washer

Size

Diameter

Finish

Single-Sided Towel Bars

Available Sizes: 12", 18", 20", 22", 24", 26", 27", 28", 30"



Specification:

Material: 3/4"(19mm) Brass tubing, 1-1/4"(31.75mm) Metal washer

C-To-C Hole Spacing: 12" (305 mm)

C-To-C Hole Spacing: 18" (457 mm)

C-To-C Hole Spacing: 20" (508 mm)

C-To-C Hole Spacing: 24" (610 mm)

C-To-C Hole Spacing: 26" (660 mm)

C-To-C Hole Spacing: 28" (711 mm)

C-To-C Hole Spacing: 30" (762 mm)

Order Code Nbr:

SH-12-3/4-XX

With metal washer

Size

Diameter

Finish

SH1-12-3/4-XX

Without metal washer

Size

Diameter

Finish



Towel Bar

for applications from 1/4" (6 mm) ~ 1/2" (12mm)
glass shower doors

Wall Mounting Towel Bars

Available Sizes: 12", 18", 24"



Specification:

Material: 3/4" (19mm) Brass tubing, 1-1/4" (31.75mm) Metal washer


C-To-C Hole Spacing: 12" (305 mm)



C-To-C Hole Spacing: 18" (457 mm)

C-To-C Hole Spacing: 24" (610 mm)



Order Code Nbr:
SHW-12-3/4-XX

With metal washer
Size
Diameter
Finish








Art No. 8040
Glass knob crystal





Art No. 8020
Solid Knob





Art No. 8019
Solid Knob




Art No. 8018
Solid Knob



Art No. 8017
Solid Knob





Art No. 8016
Solid Knob




Art No. SHK-S32
Single-side
Knob




Cross Bar for Shower doors



Telescope-Cross Bar, Glass to Wall 8031
Material: Brass, Finish:




Telescope-Cross Bar, Glass to Glass 8032
Material: Brass, Finish:





Glass Clips

from Solid Brass






Material : Forged brass

STEREOGRAM




FIX SKETCHMAP

GLASS PREPARATION HOLE




B8060FG1




B8060FG2



B8060GG90








Material : Forged brass

STEREOGRAM




FIX SKETCHMAP

GLASS PREPARATION HOLE




B8060GG135



B8060GG180





B8060CG






Movable Transom CLIPS




For 5/16"(8 mm) to 1/2"(12mm) Thick Glass





Cat. No. MTC
Wall mount

Wall Mount Movable Transom Application




GLASS PREPARATION HOLE





Cat. No. MTC 180
Glass-to-Glass


Glass - To - Glass Movable Transom Application




GLASS PREPARATION HOLE




Cat. No. MTC 180
Glass-to-Glass 135°



GLASS PREPARATION HOLE





Material : Solid brass




Patent 3 dimension adjustment

STEREOGRAM




FIX
SKETCHMAP

GLASS
PREPARATION HOLE




B8050FG




B8050WG



B8050GG90








Material : Solid brass

STEREOGRAM




FIX
SKETCHMAP

GLASS
PREPARATION HOLE




B8050GG135



B8050GG180



B8050CG







Water Tight
Shower Hinge Systems
(Glass Preparation With seal)

Hinge position

BELOW AND ABOVE WITHIN THE DOOR



ART NO. 8101




ART NO. 8102



GLASS PREPARATION 8101,8102

GLASS PREPARATION WITH SEAL



ART NO. 8101, 8102


EPCO seals system for 8mm/10mm glass

8021(180°)	8022(90°)	8023(135°)	8024(Edge)	8025(Centre)	8025L(Centre)	8027(Bottom)	(bottom) 8026A+8206B	8038(Angle)




Water Tight
Shower Hinge Systems
(Glass Preparation Without seal)

Hinge position
BELOW AND ABOVE WITHIN THE DOOR



ART NO. 8101




ART NO. 8102



GLASS PREPARATION 8101,8102

GLASS PREPARATION WITHOUT SEAL




ART NO. 8101, 8102




Water Tight
Shower Hinge Systems
(Glass Preparation Without seal)

Hinge position

BELOW AND ABOVE WITHIN THE DOOR




ART NO. 8103



ART NO. 8105

GLASS PREPARATION WITHOUT SEAL



Scale 1:2


ART NO. 8103, 8105




Water Tight
Shower Hinge Systems
(Glass Preparation With seal)

Hinge position

BELOW AND ABOVE WITHIN THE DOOR




ART NO. 8103



ART NO. 8105










GLASS PREPARATION WITH SEAL



Scale 1:2


ART NO. 8103, 8105

EPCO seals system for 8mm/10mm glass


								
8021(180°)	8022(90°)	8023(135°)	8024(Edge)	8025(Centre)	8025L(Centre)	8027(Bottom)	(bottom) 8026A+8206B	8038(Angle)




Water Tight Shower Hinge Systems




8201




8201-1



B8201




B8201-1



R8201



R8201-1




8502



GLASS PREPARATION


8201, R8201, B8201, 8201-1, B8201-1
R8201-1, 8202



SCALE 1:1


Glass preparation with SEAL(Suggestion)
(Full Back Plate)

EPCO seals system for 8mm/10mm glass







Water Tight Shower Hinge Systems




8202




B8202




R8202



8501



8601




8602



GLASS PREPARATION

8202,R8202,B8202,8501,8601,8602




SCALE 1:1


Glass preparation without SEAL (Suggestion)
(Short Back Plate)




Water Tight
Shower Hinge Systems
(Glass Preparation Without seal)




R8203




B8203




8203




R8204




B8204




8204




8503



8603



8504




8604



GLASS PREPARATION

8203,8204,B8203,B8204,R8203,R8204
8503,8504,8603,8604

GLASS PREPARATION WITHOUT SEAL




SCALE 1:1


Glass preparation without seal




Water Tight
Shower Hinge Systems
(Glass Preparation With seal)




R8203




B8203




8203




R8204




B8204




8204




8503



8603



8504




8604



GLASS PREPARATION

8203,8204,B8203,B8204,R8203,R8204
8503,8504,8603,8604

GLASS PREPARATION WITH SEAL



SCALE 1:1

Glass preparation with SEAL(Suggestion)


EPCO seals system for 8mm/10mm glass

8021(180°)	8022(90°)	8023(135°)	8024(Edge)	8025(Centre)	8025L(Centre)	8027(Bottom)	(bottom) 8026A+8206B	8038(Ang)




Water Tight
Shower Hinge Systems


Glass Cut-out For 3/8"(10mm) glass




B8205




R8205



8205



8505





8605



GLASS PREPARATION FOR 3/8"(10mm) GLASS

GLASS CUT-OUT-ON TOP AND BOTTOM
HINGES POSITION ,BELOW AND ABOVE WITHIN THE DOOR




SCALE 1:1

ATR NO. 8205,B8205,R8205,8505,8605
Glass preparation with SEAL (suggestion)




Water Tight
Shower Hinge Systems


Glass Cut-out For 1/2" (12mm) glass




B8205




R8205



8205



8505





8605



GLASS PREPARATION FOR 1/2"(12mm) GLASS

GLASS CUT-OUT-ON TOP AND BOTTOM
HINGES POSITION ,BELOW AND ABOVE WITHIN THE DOOR




SCALE 1:1

ATR NO. 8205,B8205,R8205,8505,8605
Glass preparation with SEAL (suggestion)

GLASS CUT-OUT-ON TOP AND BOTTOM

HINGES POSITION, BELOW AND ABOVE WITHIN THE DOOR




ART NO.	A	B	C	D
BJ8201	1-1/4"	-----	5/32"	-----
BJ8201-1	1-1/4"	-----	5/32"	-----
BJ8203	1-1/4"	1-1/4"	1/8"	3/16"
BJ8204	1-7/16"	1-1/4"	1/8"	3/16"

A,C-Glass preparation without SEAL ;

B,D-Glass preparation with SEAL(Suggestion).

ART NO. JB8201, JB8201-1





Fixed Panel

Glass door

ART NO. JB8203, JB8204

scale- 1:2.5

GLASS CUT-OUT-ON TOP AND BOTTOM HINGES POSITION, BELOW AND ABOVE WITHIN THE DOOR



Fixed Panel

Glass door

ART NO. JB8205

scale- 1:1

Overmeasure sheet



DATE:

SENDER:

CONTACT PERSON:

FAX:

EPCO ARCHITECTURAL HARDWARE







(U.S.A) INC.

City of industry. CA 91744

TEL: (626) 961-6827

FAX: (626) 961-3525

E-mail: epco@epcocorp.com



Overmeasure sheet



DATE: _____ SENDER: _____
CONTACT PERSON: _____
FAX: _____





EPCO ARCHITECTURAL HARDWARE
(U.S.A) INC.

City of industry. CA 91744

TEL:(626)961-6827

FAX:(626)961-3525

E-mail: epco@epcocorp.com






8201,R8201,B8201


Glass fabrication with seal

Type 100

Swing door shower enclosure



Glass fabrication






10(3/8\")/12(1/2\")mm glass


8202,R8202,B8202,8601,8602,8501

Glass fabrication without seal

Type 100
Swing door shower enclosure



Glass fabrication







10(3/8\")/12(1/2\")mm glass

8201,R8201,B8201

Glass fabrication with seal

Type 110

Swing enclosure swing door
and stationary sidelite panel



10(3/8'')/12(1/2'')mm glass




10(3/8'')/12(1/2'')mm glass

8202, R8202, B8202, 8501, 8601, 8602


Glass fabrication without seal

Type 110

Swing enclosure swing door
and stationary sidelite panel



Glass fabrication



10(3/8'')/12(1/2'')mm glass




10(3/8'')/12(1/2'')mm glass

8203,R8203,B8203,8603,8503


Glass preparation with seal

Type 160


Shower enclosure with swing door and inline panels



Glass fabrication



10(3/8'')/12(1/2'')mm glass





10(3/8'')/12(1/2'')mm glass

8203, R8203, B8203, 8503, 8603


Glass fabrication without seal

Type 160



Shower enclosure with swing door and inline panels



Glass fabrication



10(3/8'')/12(1/2'')mm glass





10(3/8'')/12(1/2'')mm glass

8201, R8201, B8201


Glass preparation with seal

Type 130



Corner shower enclosure with swing door and 90° return panel



Glass fabrication



10mm glass




SWB-B2-19(3/4")
10mm glass

8202, R8202, B8202, 8601, 8602, 8501


Glass preparation without seal

Type 130

Corner shower enclosure with swing door and 90° return panel



Glass fabrication



10mm glass



SWB=B2-19 (3/4")



10mm glass

8201,R8201,B8201


Glass preparation with seal
(suggestion)

Type 140



Corner shower enclosure with swing
door and stationary sidelite panel
and 90° buttress return panel



Glass fabrication



10mm glass



FTB= Sb-3
8mm glass





SWB=B2-19
8mm glass

8205, R8205, B8205, 8505, 8605



Glass preparation with seal

Type 150

135° neo-angle shower enclosure
with swing door and 2 stationary panels



Glass fabrication





8205, R8205, B8205, 8505, 8605




Glass preparation without seal

Type 150

135° neo-angle shower enclosure
with swing door and 2 stationary panels



Glass fabrication






8201,R8201,B8201



Glass fabrication with seal

Type 170

Swing door Shower enclosure with
movable transom



Glass fabrication



10(3/8\"/>





10(3/8\"/>

8203, R8203, B8203, 8603, 8503


Glass preparation with seal

Type 170


Swing door Shower enclosure with
movable transom



Glass fabrication



10(3/8'')/12(1/2'')mm glass



10(3/8'')/12(1/2'')mm glass

